

TAKING THE STRESS OUT ACCEPTING TESTING : LET PEOPLESOFT TEST FRAMEWORK TAKE THE STRAIN

SESSION 6536 20 October 2022

PRESENTERS

Suat Oneren

SME / Senior Manager

University of Nottingham

Suat.oneren@Nottingham.ac.uk

Siu Lam

Test Analyst

University of Nottingham

siu.lam1@Nottingham.ac.uk

Part of the Education Administration and Continuous Improvement Team (EACIT). We work with our university colleagues to improve the student and staff experience of activities supported by PeopleSoft Campus Solutions.

OVERVIEW OF THE UNIVERSITY

- Founded as Nottingham College in 1881
- Moved to University Park 1928
- Granted University status in 1948
- Opened Medical School in 1970
- Opened Jubilee Campus in 1999
- Opened Malaysia Campus in 2000 (initially in Kuala Lumpur now Semenyih)
- Opened China Campus in 2004
- Opened Kings Meadow Campus in 2005
- Opened School of Veterinary Medicine and Science
- Approximately 47,000 students across three countries





UNIVERSITY OF NOTTINGHAM & CAMPUS SOLUTIONS

- On Oracle Cloud
 Infrastructure
- Version 9.2 PUM 25
- PeopleTools 8.59

AGENDA

What's Peoplesoft Test Framework

Pre-Requisites for running PTF

- Sign-on Details
- Execution Options

Recording a test scripts

Playback of a test script

Execution options - Enhance your capabilities

- Persistent variables
- Log Export
- Data Loader

After the recording

- Message Recognition
- Review the test script
- Direct Navigation
- Test cases
- Find the object names or navigation
- Different Test Types and UoN's Folder Structure

Reporting

- Delivered
- UON

Housekeeping Notes

• Creating a project

PEOPLESOFT TEST FRAMEWORK (PTF)

PTF is an automation testing tool

Part of People Tools (No licensing cost) No programming skills required, simple record and playback

Test scripts, logs are part of the PeopleSoft. Migrate test cases or create query using query manager to return logs and case details.

Use PS Queries, data mover, run processes inside the test scripts

PRE-REQUISITES Before we start

PRE-REQUISITES



PRE-REQUISITES - SECURITY



Privilege	PTF User	PTF Editor	PTF Administrator
Run Tests	Yes	Yes	Yes
Create, Modify, and Delete Tests	No*	Yes	Yes
Create, Modify, and Delete Test Cases	Yes	Yes	Yes
Create or Modify Execution Options	No	No	Yes
Use Log Manager	No	No	Yes
Define Configuration Options	No	No	Yes
Create Test Maintenance Reports	No	No	Yes
Create Test Coverage Reports	No	No	Yes
Insert Tests/Test Cases into Application Designer projects	No	No	Yes

SIGN ON TO PEOPLESOFT TEST FRAMEWORK



PeopleSoft Test Framework - Signon						
ORACI	_E .	People	Tools 8.59.09			
Database Name :			ØX			
Server:Port :						
	Use Proxy	Proxy Information				
Node ID :						
User ID :	<u> </u>					
Password :						
ОК	Cancel	New	Previous			
Copyright © 1988, 2021, Oracle and/or its affiliates. Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. Intel and Intel Inside are trademarks or						

PEOPLESOFT TEST FRAMEWORK

🕼 PeopleSoft Test Framework 8.58.17	
@ <u>CSDEV92_NEW</u> Tools Test Edit Create Window Help Menu	
CSDEV92_NEW Toolbar	
Filter OFF Y	
Home Browser section	Target section - Work area

EXECUTION OPTIONS



UN_PTF_USERT	Options Debugging	Advanced Options	PeopleTools	Log Export	DataLoader	Browser Setting
UN_PTF_USER3	Name	UN_PTF_USER1				
	Prompt for Options	Yes	~			
	Application					
	URL			.ac.uk/psp/c	stst92/?cmd=	ogin&languageCo
	Browser	Chrome	~ F	Run In Backg	round	
	User ID	UN_PTF_USER1				
	Password	•••••	•			
	Process Server		~			
	Date Format	DD/MM/YYYY	~			
	Skip Language	Yes	~			
	Form Factor	None	\sim			
	Output					
	LogFolder		\sim			
	Verbose	Yes	~			
	100000					

EXECUTION OPTIONS



Home			Define Ex	ecution Option	IS	命へ	Ļ				
0 4						New Window	He				
options	Debugging	Advanced Options	People loois	Export Log	DataLoader	Browser Set	tings				
	Name UN_	PTF_USER1									
*	Prompt Yes	~									
Application	on URL		psp/cs	st92/?cmd=login&l	anguageCd=l						
В	rowser Chro	me	~ 🗆 F	un In Background	ł						
	User ID UN_P	TF_USER1	13								
Pas	ssword Passw	Password cannot be modified in PIA. It can only be modified from the Test Framework client.									
Process	Server	Q									
*Date F	Format DD/M	/M/YYYY ~									
Skip La	nguage Yes	~									
Form	Factor None	• •									
Log	Folder										
*V	Verbose Yes	~									
Sava	Return to Searc	Provious in Lis	Next in List	ſ							
	riotani to dealo			J							



Execution Options

- Which PeopleSoft environment we are testing on
- Which permission the user has while testing

EXECUTION OPTIONS VS CLIENT LOG IN

RECORD Testing

CREATE TEST SCRIPT AND RECORD



CREATE TEST SCRIPT AND RECORD

合

REC

Before Testing

- Open a new test
- Launch the test recorder (Record button)
- Launch Browser
- Start recording

👰 PeopleSoft	Test Fram	nework	8.58.13					
@CSDEV92	Tools	Test	Edit	Create	Window	Help		
i 🚯 🗋 ד 📾	\times	2						
🝙 C 🛛 Fo	Folder							
Te	Test						 	 Π
Filter Sł	Filter Shell Test							

@CSDEV92	Tools	Test	Edit De	bug Wind	low Help			
Ĩ∎ Z X	P			() •] []	🌚 🐹	te 🚱 🗔 🧠	Prefix	

Chrome is being controlled by automated test s	oftware.
	% 🏫 REC 🗆
Recording base URL	
Active ObjectType Action	Recognition Parameter Value

CREATE TEST SCRIPT AND RECORDING

Testing as usual

- Login to your environment
- Navigate to the component



	Term Activate a Studen
Term Activate a Student	
Enter any information you have and click Search. Leave fields I	plank for a list of all values.
Find an Existing Value	
Search Criteria	23
ID begins with V	
National ID begins with V	
Last Name begins with V	
First Name begins with 🗸	
Case Sensitive	
Search Clear Basic Search 🖾 Save Search C	iteria

CREATE TEST SCRIPT AND RECORDING



	Seq	ID	Comment	Active	ID	Туре	Action	Recognition	Parameters	Value
	1	1	P			Browser	Start_Login			
	2	2	P	<u>~</u>		Page	Prompt -	MANAGE_ACADEMIC_RECORDS.STDNT_ACTIVATION.GBL	uritype=content	update
•	3	3	P	~		Text	- Set_Value -	name=STDNT_SRCH_EMPLID		&emplid
	4	5	P	Sec.		Page	 PromptOk 			
	5	6	P			Text	- Set_Value -	name=STDNT_CAR_TERM_STRM\$0		3210
	6	8	P	Sec.		Log	- SnapShot -			
	7	7	P			Page ·	- Save -			
*				_			•			

Test Script - Overview

Туре		Action	Recognition	Parameters	Value
Browser	-	Start_Login •			
Page	-	Prompt -	RUN_CASHIERING.CLOSE_CASHIER_OFF.GBL	untype=content	update
Text	-	Set_Value	name=SP_CSHOFF_NONVW_BUSINESS_UNIT		UNUK1
Text	-	Set_Value	name=SP_CSHOFF_NONVW_CASHIER_OFFICE		JUBSSC

Туре	• The type of object. Button, Link, Text, and Page etc
Action	• The action the test will take on a specific object. Set_Value, Click, Verify, and Save etc
Recognition	• The attribute by which PTF identifies the object on the page. This is typically the HTML ID property.
Value	• The value being set or verified. This is either the value entered in a field by the tester when the recording was made or, in a step recorded in field check mode, this is the value that was already present in a field when it was verified during the recording of the test.

Common Actions

Get_Property (Gets the value for the property, return variable)

Verify (Compare the value and add a pass or fail log)

Exists (Check if the object exist and return true/false)

Set_value

RUNNING PROCESSES

Process Run prcname=UN_UPD_RTERM

Step: Process.Run		×
prctype	Application Engine	
wait	true	~
outtype		~
outformat		\sim
outfile		
expected	Success	~
ret		
distribution_expected	Posted	~
distribution_ret		
Prctype is the type of pro Example: SQR	ocess to run.	
	ОКС	ancel

CONDITIONALS

Conditional	•	lf_Then	•	&dropdown = "Complete"		
Button	•	Click	•	name=#ICNextInList		
Loop	•	Next	•			
Conditional	•	Else	•			
Log	•	Snap Shot	•			
ComboBox	•	Set_Value	•	name=SSR_ACT_BLDDATA_SSR_ACO_ROOT_OPT		S
ComboBox	•	Set_Value	•	name=SSR_ACT_BLDDATA_SSR_ACO_EXAM_OPT		Т
Button	•	Click	•	name=SSR_ACO_XR0_DER_SSR_REFRESH		
Button	•	Click	•	name=SSR_ACO_XR0_DER_GET_ROWS		
Conditional	•	End_lf	•			
Log	•	SnapShot	•			
Log	•	Pass	•			
					4	1

FUNCTIONS

Functions

- Mathematical functions
- Date / Time functions
- String Functions
- Numeric functions

Text -	Set_Value	•	name=DERIVED_SCC_NM_FIRST_NAME	TIME()
Text -	Set_Value	•	name=DERIVED_SCC_NM_LAST_NAME	 DATE()

CREATE TEST SCRIPT AND RECORDING

Saving the test

- Update the test name, description
- Save the test

Test Information							Test Case In		
Name:							Name: [1]	DEFAULT	
Description	Сору	😭 Paste	Acti	ve All 🔻	📕 Inse	Save as		× -	
Seq	ID	Comment	Active	Scroll ID			RM_ACTIVATION	Cancel	-
		0			Browner	OK		Carloci	

est Information	n		
Name:	NAVIGATE_TO_TERM_ACTIVATION		S :
escription:	Navigate to Term Activation	1	Q

PeopleSoft T	Test Fram	ework	8.58.13						
@CSDEV92	Tools	Test	Edit	Debug	Window	Help			
CSDEV92	••	•	1 Те	st: NAVIGA	TE_TO_TER.	×	P	Ģ	4
Test: NAVIO	GATE_TO	TERM	ACTIVA	TION*					11

PLAY Testing

PLAYBACK



PLAYBACK



PLAYBACK

E™ Test Start: 27/10/2021 22:42:34		
🚊 🗝 🔁 Browser.Start_Login	Test End: 27/10/2021 22:43:08	MENU 🗙
Frame set to *	Log saving please wait	b?
Goto URL		
ia-P Browser.Login		
Skipping language selection [execution option]		
text.Set_Value [id=userid] -> UN_PTF_USER1		
button.Click [name=Submit]		
lgnore step 2		
⊨- Mage.Prompt		
Goto URL		
Page.Prompt: Trying to do the following action = update		
button.Click [name=UN_PAM_EXTR_WRK_UN_MODULE_PB]		Screenshot if there
	Screenshot if script	
ombobox.Set_Value [name=UN_PAM_EXTR_WRK_STRM] -> 3180		is a step to take a
combobox.Set_Value [name=UN_PAM_EXTR_WRK_UN_PAM_CRSE1_SRCH\$0] -> UDD-BUS	fails	
Vendowski (name=UN_PAM_EXTR_WRK_UN_SEARCH_PB\$0)	i Gillo	screenshot
────────────────────────────────────		
□P■ Verify: class=PAPAGETITLEIIndex=0 [span] -> BUSI1003		
Check field: class=PAPAGETITLEIIndex=0, 'BUSI1003' (actual) = 'BUSI1003' (expected)		
- 📸 LogScreenShot		
button.Click [name=UN_PAM_EXTR_WRK_UN_MODULE_PB]		
Test End: 27/10/2021 22:43:08		result at the end of
	The second secon	بينا بمشيم مطب
	inere is an outcome	the script but
	for orch stop / Deres	validation or
	for each step (Pass	validation of
S Oneutive - the University of Nottingnam S (+1 > AUU_AUUTIONAL BIK ACC.	or Fail)	confirmation can bo
Name Status Date modified Type Size	orranj	communon can be
ADD_ADDITIONAL_BNK_ACC-LOG2xml 🗢 18/10/2021 20:21 XML Document 12 K8		added as a step to

	Name	Status	Date modified	Туре	
.	ADD_ADDITIONAL_BNK_ACC-LOG2.xml	0	18/10/2021 20:21	XML Document	12 KB
	ADD_ADDITIONAL_BNK_ACC-LOG2-Line16.jpg	0 A			
	ADD_ADDITIONAL_BNK_ACC-LOG3.xml	Ø A		XML Document	
	ADD_ADDITIONAL_BNK_ACC-LOG3-Line29.jpg	Ø A			
	ADD_ADDITIONAL_BNK_ACC-LOG4.xml	Ø A		XML Document	
	ADD_ADDITIONAL_BNK_ACC-LOG4-Line29.jpg	Ø A			
	ADD_ADDITIONAL_BNK_ACC-LOG5.xml	Ø A		XML Document	
	ADD_ADDITIONAL_BNK_ACC-LOG5-Line20.jpg	⊘ A			
	ADD_ADDITIONAL_BNK_ACC-LOG6.xml	0 A	18/10/2021 21:46	XML Discument	
	ADD_ADDITIONAL_BNK_ACC-LOG6-Line21.jpg	0 A			
	ADD_ADDITIONAL_BNK_ACC-LOG7.xml	0 A		XML Document	
	ADD_ADDITIONAL_BNK_ACC-LOG7-Line21.jpg	Ø A			

EXECUTION OPTIONS

Enhance your capabilities

ADVANCED OPTIONS - ENABLING PERSISTENT VARIABLE

Enable Persistent Variables

 If you need to share variables between tests, use persistent variable. PTF stores persistent variables in the database so that subsequent test executions can use them. (Student ID, Application number etc...)

CS - Navigation

People tools - Lifecycle Tools - Test
 Framework - Manage Persistent Variables

Manage Persistent Variables for each script

• Activate the option for each script

Options Deb	ugging	Advanced Op	otions PeopleTo	ols Log	Export Datal
Portal URL					
				Add	Remove
Portal Name	•				
URL					
Persistent V	ariables				
C Enable	e Persiste	ent Variables			
	By Exe	cution Option N	lame		
	By Use	r ID			
	By Mac	hine Name use	ed for Playback		
Linear Mari					
	itoning	in Llange Mani	or on shield		
	onmeni	is usage Morili	or-enabled		
Step Info					
Over	write Exi	isting Step Info			
Manage Persistent Va	ariables				
Persistent Variables					
I Q			н	▲ 1-7 of 7 ~	▶ ► View All
Exec Opt Name	User I	D Machine Name	Variable Name	Value	
UN PTE USER1			&ACAD PROG	U1065	
				10505710	
U UN_PIF_USERI			&APP_NUMBER	10065749	
UN_PTF_USER1			&APT_INSTANCE	1	
UN_PTF_USER1			&CAREER	UG	
UN_PTF_USER1			8EMPLID	20413441	
UN_PTF_USER1			&SSR_FORMAT_ID	U_4YR_3S	
O UN DTE USED1			ASTONT CAD NED	0	
C CH_FIT_COLLAR			dorbiti_ckit_hort	•	
Select All		Clear All	Delete Selected		
Test Properties					×
Test Properties					
Last Updated :	18/10/202	1 20:20:40	Updated By :		
Language (*) :	UK English	· ~			
Variable Action :	Read .	~			
	None 5				
(*) Language: Chan execute against a d	Write		uage the test selects at sig be executed against the	gn in. It will not same language	enable the test to in which they
were recorded.	neau a wi	i.e			
Library Test					
Parameter list					
				OK	Cancel

EXECUTION OPTIONS - LOG EXPORT

Screenshots can be saved under a shared folder by different users.

One drive or another shared folder can be defined on the Log export tab

Options	Debugging	Advanced Options	PeopleTools	Log Export	DataLoader	Browser Settings
Use Log	g Export	Yes	\sim			
Path		C:\ptflog\OneDrive -	The University	of Nottinghan	n\PFT\%test%`	\
Style Sh	neet File					
Add Tin	ne Stamp	No	\sim			
Export I	mages	Yes	~			
			2			

OneDrive - The University of Nottingham PFT								
^ Name	Status	Date modified	Туре					
	△ A	20/10/2021 11:25	File folder					
ADD_A_EXTERNAL_STUDY_ONTO_STU	△ A	15/10/2021 15:59	File folder					
ADD_A_PERSON	△ A	15/10/2021 15:42	File folder					
	⊘ ∧	18/10/2021 21:55	File folder					
	▲ A	15/10/2021 09:12	File folder					
	▲ A	15/10/2021 15:58	File folder					
ADD_BANK_ACC_SR	△ A	18/10/2021 22:01	File folder					
ADD_CHECKLIST_3CSICON	▲ A	18/10/2021 22:07	File folder					

EXECUTION OPTIONS — DATA LOADER

To use PS Queries in the automation scripts

Sign on information can be used

Query needs to be available on the test environment

Options	Debugging	Advanced Options	PeopleTools	Log Export	DataLoader	Browser Settings
Host Na	me	GB3AAAAþ9WEB01				
SSL Po	t	9999				
Node I)	CSDEV92				
		<u>A</u>				

Edit DataLoader		×	test		
DataLoader Name	test		Quer UN_	y Name REPEAT	Query Params BIND1:uon,BI
DataLoader Type	Query	•			
Select Query Query Name Note: Queries in above	UN_REPEAT_ENROLMENTS ~	ions	(Delete (Query
Query Parameters				ID	Source Fields
Institution	uon		•	0	(rowcount)
Tem	3210			1	EMPLID
Campus	U			2	CLASS_NBR
			٠		
	Load Fields				

test								
Query I UN_RE	Name EPEAT	Query Params BIND1:uon,BIND2:3210,BIND3	k:U					
	Delete Q	Edit Query	ОК					
	ID	Source Fields	Variables					
•	0	(rowcount)						
	1	EMPLID	&EMPLID					
	2	CLASS_NBR	&CLASS_NBR					
*								

Load	name=UN_PTF_STDNT_NOT_MATRCLTION	source=UN_PTF_STDNT_NOT_MATRCLTION;sourceType=N	
For	▼ &i=1 to &row_count		
Set_Value	name=ADM_MAINT_SCTY_ADM_APPL_NBR		&ADM_APPL_NBR
Set_Value	<pre>name=ADM_MAINT_SCTY_EMPLID</pre>		8EMPLID

AFTER THE RECORDING

Improve

CREATE TEST SCRIPT AND RECORDING

Review test script

- Clean up after recording
- Use Direct navigation

Sec	q	ID	Comment	Active	Scroll ID	Туре	Action	Recognition	Parameters	Value	
	1	1	P			Browser ·	Start_Login ·				
	2	2	ρ			Browser ·	FrameSet ·				
	3	3	ρ			Link •	Click ·	id=PT_NAVBAR			
	4	4	P			Browser -	FrameSet ·	psNavBarlFrame			
	5	5	ρ		2	image -	Click ·	class=ps_process Index=2			
	6	6	ρ			Page 💌	Prompt ·	RUN_CASHIERING.CLOSE_CASHIER_OFF.GBL	urtype=content	update	
	7		ρ			Text •	Set_Value •	name=SP_CSHOFF_NONVW_BUSINESS_UNIT		UNUK1	
	8	8	P			Text •	Set_Value •	name=SP_CSHOFF_NONVW_CASHIER_OFFICE		JUBSSC	
	9	9	P			Page -	PromptOk •				
1	10	15	P			Page -	Go_To •	Close Offices			
1	11	14	P			Browser -	FrameSet •				
1	12	10	P			Button •	Click •	name=CSH_OFF_WRK_CLOSE_BUS_DT			
1	13	16	P			Log -	SnapShot •				
► 1	14	11	P			Page -	Save •				
•							•				

5	eq	ID	Comm	ent Ac	tive	Scroll ID	Туре		Action		Recognition	Parameters	Value	
	1	1	1 D		~		Browser	•	Start_Login	•				
•	2	(6 P		 I 		Page	•	Prompt	•	UN_CASHIERING.CLOSE_CASHIER_OFF.GBL urtype=content updat		pdate	
	3	17	7 0		 Image: A set of the set of the		Text	•	Set_Value	•	name=SP_CSHOFF_NONVW_BUSINESS_UNIT		UNUK1	
	4	8	8 🖓		2		Text	•	Set_Value	•	name=SP_CSHOFF_NONVW_CASHIER_OFFICE	IVW_CASHIER_OFFICE JUBSSC		
	5	9	9 🖓		2		Page	•	PromptOk	•				
	6	15	5 🖓		2		Page	•	Go_To	- (Close Offices			
	7	14	4 🖸		2		Browser	•	FrameSet	•				
	8	10	0 0		2		Button	•	Click	•	name=CSH_OFF_WRK_CLOSE_BUS_DT			
	9	16	6 D		2		Log	•	Snap Shot	•				
	10	11	1 0		2		Page	•	Save	•				
					2			•		•				

CREATE TEST SCRIPT AND RECORDING

Save time

- Using content urltype can speed up the process
- Test will load direct page without using navigation or portal elements

untype	portal	~
waitForTime	content default portal	
It is used to define the When it is missing 'def Example: untype=porta	URL format, if the URL will have 'psp 'ault' will be used. al	' or 'psc' on it.



MESSAGE RECOGNITION



CREATING A SCRIPT - TEST CASES

Test Cases

- A variation of the values (data) within a script
- Will change your Values only

st Informatio	on		Test Case Information	
lame:	ADD_AN_APPLICATION	E %	Name: [3] PGT	III I I I I I I I I I I I I I I I I I
Description:	Add an Application	a P	Description: DEFAULT PGT	v 🏹 🔎

PROCESS_APPLICATIONS.ADM_APPL_ENTRY1.GBL	urtype=portal	add
name=ADM_APPL_SCTY_ACAD_CAREER		PGT

PROCESS_APPLICATIONS.ADM_APPL_ENTRY1.GBL	urltype=portal	add
name=ADM_APPL_SCTY_ACAD_CAREER		UG

COPY — PASTE FASTER THAN RECORDING

: ADD	_AN_A		DN								
nformat	formation Test Case Information										
ADD_AN_APPLICATION				Ē	8	Name: [3]	UG 🗸 🗐 📑				
iption: Add an Application			\bigcirc	Description:	& P						
B) (🗈 Copy 💼 Paste 🛛 🛱 Active All 👻 🚚 Insert Step 👻 Delete Step 🕕 Step Information										
	ID	Comment	Active	Scroll ID	Туре		Action	Recognition		Parameter	s
1	1	P	 Image: A set of the set of the		Browser	•	Start_Login 🔹				
2	8	P			Page	•	Prompt -	PROCESS_APPLICATIONS.ADM_APPL_ENTRY1.GBL	urltype=portal		
3	9	P			Text	•	Set_Value •	name=ADM_APPL_SCTY_ACAD_CAREER			
4	Add Application × +										
5	\leftarrow	\rightarrow C				Ţ	/psp/csde	v92/EMPLOYEE/SA/c/ <mark>PROCESS_APPLICATIONS.ADM</mark>	I_APPL_ENTRY1.GBL	Ð	☆

COPY — PASTE FASTER THAN RECORDING





<pre>rtd style= white-space:nowrap align= right ></pre>
▼
▼ <div id="win@divADM_APPL_SCTY_ACAD_CAREER"></div>
<input typ<mark=""/> e="text" name="ADM_APPL_SCTY_ACAD_CAREER" id="ADM_APPL_SCTY_ACAD_CAREER" tabin
▼ <a class="P\$HYPERLINK" id="ADM_APPL_SCTY_ACAD_CA</td></tr><tr><td>DM_APPL_SCTY_&AD_CAREER\$prompt');" name="ADM_APPL_SCTY_ACAD_CAREER\$prompt">
<pre><img <="" alt="Look up Academic Career" pre="" src="/cs/csdev92/cache/PT_PROMPT_LOOKUP_UKE_1.gif"/></pre>
<pre>align="absmiddle" style="vertical-align:middle;"></pre>

DIFFERENT TEST TYPES AND FOLDER STRUCTURE



REPORTING

Share

REPORTING (PEOPLETOOLS — LIFECYCLE TOOLS — TEST FRAMEWORK)

Test Maintenance reports (which changes I am doing have an impact on existing tests)

Test coverage reports (how much of my project is covered by tests)

Test details reports (what does the test do) Test Matrix reports (what is located where)

UON REPORTING

Overall Test Results

Detailed Test Results

PTF Test Scripts (Based on functional area)

OVERALL TEST RESULTS

Peoplesoft Test Framework Overall Test Results

Те	est Summary				UNITED KINGGOM - CH	versity of Ingham INA - MALAYSIA
	Admission PEAM Taught Student Recor Total	Fail 0 5 1 6	FatalError0303	Pass 2 0 0 2	Warning 1 1 0 2	Total 3 9 1
1.0	Admission	1			UNITED KINGDOM - CH	NA + MALAYSIA

Test Description	Test Outcome	DevOps ID	
Add an admission comment	Pass	37966	
Add an Application	Pass	37964	
Start and end date calc Appl	Warning	41531	

DETAILED TEST RESULTS

Peoplesoft Test Framework Test Results



Add an Application

Case Overall Test Result : Pass DevOps ID: 37964 Link:

PTF TEST SCRIPTS (BASED ON FUNCTIONAL AREA)

When we have folders based on the functional area

 SELECT substr(A.PTTST_PARENTFOLDER,19,50), A.PTTST_NAME, A.DESCR, A.PTTST_PARENTFOLDER FROM PSPTTSTDEFN A WHERE (A.PTTST_PARENTFOLDER LIKE '%UON_Test_scripts%') ORDER BY 1, 2

Row	Functional Area	Test Name	Descr	Parent Fld
1	Admission	ADD_ADMISSION_COMMENTS	Add an admission comment	\UON_Test_scripts\Admission
2	Admission	ADD_AN_APPLICATION	Add an Application	\UON_Test_scripts\Admission
3	Admission	ADD_A_BASIS_OF_ADMISSIONS	add a basis of admissions	\UON_Test_scripts\Admission
4	Admission	ADD_A_EXTERNAL_STUDY_ONTO_STU	Add external study onto studen	\UON_Test_scripts\Admission
5	Admission	ADD_A_PERSON	add a person	\UON_Test_scripts\Admission
6	Admission	ADD_CON_TO_AGENCY	Add a Contact (Agent) to an Ag	\UON_Test_scripts\Admission
7	Admission	ADD_DECISION_TO_DIR_APP	Add a decision to a Direct App	\UON_Test_scripts\Admission
8	Admission	ADD_EXTERNAL_EDUCATION	Add External Education details	\UON_Test_scripts\Admission
9	Admission	ADD_OAA_ADMIN	add OAA Admin	\UON_Test_scripts\Admission
10	Admission	ADD_RECRUITER	Add a Recuriter Agent	\UON_Test_scripts\Admission
11	Admission	ADD_RESIDENCY_DATA	Update Residency information	\UON_Test_scripts\Admission
12	Admission	ADD_TEST_RESULT_APPLICATION	Add test results to an applica	\UON_Test_scripts\Admission
13	Admission	APPLICATION_MATRICULATION	Add an Application	\UON_Test_scripts\Admission
14	Admission	CAMPUS_SECURITY_EMPLID	Application Security	\UON_Test_scripts\Admission
15	Admission	MAINTAIN_APPLICATIONS	Add an Application	\UON_Test_scripts\Admission
16	Admission	RUN_START_END_DATE_CALC_APPLIC	Start and end date calc Appl	\UON_Test_scripts\Admission
17	Campus Community	ADD_CHECKLIST_3CSICON	Add checklist 3C Decision	\UON_Test_scripts\Campus Community
18	Campus Community	ADD_CITIZENSHIP_PASSPORT	Add citzenship passport	\UON_Test_scripts\Campus Community
19	Campus Community	ADD_COMMENTS_INTERNAL	Add comments internal	\UON_Test_scripts\Campus Community
20	Campus Community	ADVISOR_NOTES_ADMIN_SIDE	Advisor notes Admin	\UON_Test_scripts\Campus Community
21	Campus Community	CC_ADD_FAV	Add Favourites and use - 36349	\UON_Test_scripts\Campus Community
22	Campus Community	CC_NAV_USING_FAV	Navigation using Fav.	\UON_Test_scripts\Campus Community
23	Campus Community	CHCKLIST_COMPL	Checklist Complete	\UON_Test_scripts\Campus Community

TEST RESULTS (DETAILED RESULTS)

1.1 Add an application

Case Overall Test Result : Pass

Link:

https:/

uk/psp/csdev92_9/EMPLOYEE/SA/c/PROCESS_APPLICATIONS.ADM_APPL_ENTRY1.GBL; urltype=portal

Creating URL for the report

• CASE

WHEN F.PTTST_PARENTFOLDER = '\UON_Shell' then CONCAT('https://*****.nottingham.ac. uk/psp/csdev92_9/EMPLOYEE/SA/c/ ',G.PTTST_CMD_OBJ_ID)

else

CONCAT

('https://*****.nottingham.ac.uk/psp/c sdev92_9/EMPLOYEE/SA/c/',H.PTTST _CMD_OBJ_ID)

end

Conversion of the test results

• Case

```
when A.PTTST_LOG_RESULT = 121 then 'FatalError'
when A.PTTST_LOG_RESULT = 120 then 'Fail'
when A.PTTST_LOG_RESULT = 115 then 'Warning'
when A.PTTST_LOG_RESULT = 110 then 'Pass'
when A.PTTST_LOG_RESULT = 100 then 'None'
when A.PTTST_LOG_RESULT = 101 then
'NoMessage'
when A.PTTST_LOG_RESULT = 102 then 'Info'
when A.PTTST_LOG_RESULT = 220 then
'ScreenShot'
when A.PTTST_LOG_RESULT = 996 then 'File'
when A.PTTST_LOG_RESULT = 998 then 'Link'
when A.PTTST_LOG_RESULT = 999 then 'Section'
else 'No Code'
end case
```

CONCLUDING THOUGHTS ANY QUESTIONS?

RESOURCES

Oracle Documentation Online



PRESENTERS

Suat Oneren

SME / Senior Manager University of Nottingham

Suat.oneren@Nottingham.ac.uk

Siu Lam

Test Analyst

University of Nottingham

siu.lam1@Nottingham.ac.uk

ALL ALLIANCE PRESENTATIONS WILL BE AVAILABLE FOR DOWNLOAD FROM THE CONFERENCE SITE



THANK YOU!



EMEA ALLIANCE 20-21 OCTOBER 2022